




Endless Possibilities for Engaging, Intuitive and Reliable way to display communications



### Floor Standing Digital Signage

Offers industry's most outstanding solution to manage and broadcast visual and audio content effectively to provide visitors with information, entertainment and a variety of other content on any screen, anywhere and anytime



USB



Wi-Fi



Bluetooth



LAN

4K

4K Display



Slim Design



Wide View



Customized Split Screen



Loop



Timer Switch



Cloud-Base CMS



Mobile CMS



Multi Touch



System Optional



Play Store Supported



Scheduling



## Key Features

- Built in Android Media Player and supports playing files with USB
- Auto loop play after power on and contents can be copied to the Internal Memory.
- Free to split display area and supports 2 videos+ N pictures+ N webpages+ N rolling captions+ N weather+ N dates display on the same screen.
- Support videos seamless switching and no black screen between 2 videos.
- Supports Google Play applications download and installation.
- Support both horizontal and vertical display, menu and playing contents can be rotated 90°/180°/270°.
- Upload, update, manage contents and control multiple devices remotely by CMS software
- Available CMS APK to install and Manage by Android SMART Devices

## Hardware Specifications

Display	Touch Technology*	10 Points Capacitive Touch Screen
	Light Transmittance	>97%
	Resolution	4096*4096
	Display Technology	IPS
	Backlight LED	WLED
	Tempered Glass Hardness	6-6.5 Mohs
Hardware	Mainboard	Android 11
	CPU	RK3566 Quad-core 64 bits Cortex-A55, 1.8GHz
	GPU	ARM G52 2EE
	Operating System	Android 11.0
	RAM	4GB DDR4
	Internal Memory	32GB
	Network	Ethernet RJ-45 & Wi-Fi 802.11b/g/n
	USB 2.0 Ports	2
	Bluetooth	4.0
	Audio Output	Built in 8Q/10W x 2 Speakers
Supported Format	Video Format	MPEG-1/2/4, MP4, DIV, TS, TP, TRP, MKV, MOV, DAT, ASF
	Photo Format	JPEG, PNG
	Music Format	MP3, MP2, WMA, WAV
Structure	Material	Black Metal Structure
	Tempered Glass Thickness	4mm
	Operating Temperature	0°C~ 50°C
	Storage Temperature	-10-60°C
	Power Consumption	Running Mode: 70-120W & Standby Mode: 5W
	Power Supply	Input: AC 100~240V 50/60Hz



## Panel Specifications

Screen Size	43 inch	49 inch	55 inch
Aspect Ratio	16:9		
Panel Brand	LG		
Panel Grade	A Grade		
Display Area MM (W x H)	941.184 x 529.416	1073.8 x 604	1209.6 x 680.4
Resolution	3840x2160		
Luminance	400cd/m2		
Pixel Pitch MM (H x V)	0.2451x0.2451	0.27963x0.27963	0.315x0.315
Contrast Ratio	1000:1		
Viewing Angle (R/L/T/B)	89/89/89/89		
Response Time	6ms		

## Ordering Information: Non-Touch

Part No.	Description of Items	Product Dimension (mm)	G. W. (KG)	N. W. (KG)	Packing Dimension (mm)
DF-43112NT	43 Inch Floor Standing Android 4K Digital Signage	1800*598.4*500	32	40	1850*185*704
DF-49112NT	49 Inch Floor Standing Android 4K Digital Signage	1820*670*500	48	40	1875*185*775
DF-55112NT	55 Inch Floor Standing Android 4K Digital Signage	1900*752.4*500	55	45	1955*185*858

## Ordering Information: Capacitive-Touch

Part No.	Description of Items	Product Dimension (mm)	G. W. (KG)	N. W. (KG)	Packing Dimension (mm)
DF-43112CT	43 Inch Floor Standing Capacitive Touch Android 4K Digital Signage	1800*598.4*500	32	40	1850*185*704
DF-49112CT	49 Inch Floor Standing Capacitive Touch Android 4K Digital Signage	1820*670*500	48	40	1875*185*775
DF-55112CT	55 Inch Floor Standing Capacitive Touch Android 4K Digital Signage	1900*752.4*500	55	45	1955*185*858